L	Hits	Search Text	DB	Time stamp
Number 1	- 0	(no adj2 billing\$5) with printer\$5	USPAT;	2004/08/11
_	•	, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	12:37
ļ			EPO; JPO;	
			DERWENT; IBM TDB	
		(no adj2 (usage\$5 adj2 charg\$5)) same	USPAT;	2004/08/11
2	0	printer\$5	US-PGPUB;	12:37
		biliter42	EPO; JPO;	
Ì			DERWENT;	
	ļ		IBM_TDB	
3	0	((prevent\$5 prohibit\$5) adj2 (usage\$5	USPAT;	2004/08/11
		adj2 charg\$5)) same printer\$5	US-PGPUB; EPO; JPO;	12:37
Ì			DERWENT;	
			IBM TDB	
4	0	((prevent\$5 prohibit\$5) with (usage\$5	USPAT;	2004/08/11
4	0	adj2 charg\$5)) same printer\$5	US-PGPUB;	12:38
		day briary, to the reason	EPO; JPO;	
			DERWENT;	
	·		IBM_TDB	2004/20/11
5	1	((prevent\$5 prohibit\$5) same (usage\$5	USPAT;	2004/08/11
l		adj2 charg\$5)) same printer\$5	US-PGPUB; EPO; JPO;	12:38
Ì			DERWENT;	
			IBM TDB	
6	0	((prevent\$5 prohibit\$5) with (charg\$5	USPAT;	2004/08/11
б		with usag\$5)) same printer%\$6	US-PGPUB;	12:39
		With asagyoff same princes	EPO; JPO;	Ì
			DERWENT;	
	l		IBM_TDB	0004/00/11
7	4		USPAT;	2004/08/11
		with usag\$5)) same print\$5	US-PGPUB; EPO; JPO;	12:39
			DERWENT;	
			IBM TDB	
0	409	(prevent\$5 prohibit\$5 "no") with (usage\$5	USPAT;	2004/08/11
8	409	with charg\$5)	US-PGPUB;	12:40
		with onargyo,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/11
9	253	bill\$5 with (usag\$5 adj2 charg\$5)	USPAT;	2004/08/11
			US-PGPUB; EPO; JPO;	12.40
			DERWENT;	
			IBM TDB	
10	11	bill\$5 with (usag\$5 adj2 charg\$5) same	USPAT;	2004/08/11
10		(print\$5)	US-PGPUB;	12:42
			EPO; JPO;	
			DERWENT;	
		AF 110 (1 AF 12772 AF	IBM_TDB USPAT;	2004/08/11
11	0	no with (usag\$5 adj2 (charg\$5 billing\$5	US-PGPUB;	12:43
		fee\$5)) same (print\$5 adj2 error\$5)	EPO; JPO;	12.13
			DERWENT;	
			IBM TDB	
12	1	(bill\$5 charg\$5 fee\$5) with (zero\$5	USPAT;	2004/08/11
14	1	abnormal\$5) adi2 (usag\$5 differenc\$5)	US-PGPUB;	12:50
		same (copy adj2 machine\$5 printer\$5	EPO; JPO;	
		facsimile\$5)	DERWENT;	1
		1	IBM TDB	2004/09/11
13	6	(bill\$5 charg\$5) same (zero\$5 abnormal\$5)	USPAT;	2004/08/11
		same (usag\$5) same (copy adj2 machine\$5	US-PGPUB; EPO; JPO;	12.33
		printer\$5 facsimile\$5)	DERWENT;	
!			IBM TDB	
15	0	(prevent\$5 prohibit\$5) with (submit\$5	USPAT;	2004/08/11
12		send\$5) with (bill\$5 charg\$5) with	US-PGPUB;	13:00
		(account\$5 adj2 error\$5)	EPO; JPO;	
			DERWENT;	
1			IBM TDB	

Search History 8/11/04 1:26:36 PM Page 1

			· · · · · · · · · · · · · · · · · · ·	2021/20/11
14	13	bill\$5 with account\$5 adj2 error\$5	USPAT;	2004/08/11
			US-PGPUB;	13:00
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
	24	(printer\$5 copy adj2 machine\$5) with	USPĀT;	2004/08/05
_	24	(usag\$5 adj2 information\$5 copies\$5 adj2	US-PGPUB;	17:02
İ		(usagss adjz illioimacionss copiesss adjz	EPO; JPO;	17.02
	1	(printed\$5 produce\$5)) same (bill\$5)	DERWENT;	
			· · · · · · · · · · · · · · · · · · ·	
i			IBM_TDB	2004/00/05
-	0	(printer\$5 copy adj2 machine\$5) with	USPAT;	2004/08/05
		(usag\$5 adj2 information\$5 copies\$5 adj2	US-PGPUB;	17:05
		(printed\$5 produce\$5)) same (error\$5	EPO; JPO;	
		failur\$5) same (list\$5) and (billing\$5)	DERWENT;	
			IBM TDB	
_	0	(printer\$5 copy adj2 machine\$5) with	USPĀT;	2004/08/05
-	\	(usag\$5 adj2 information\$5 copies\$5 adj2	US-PGPUB;	17:05
		(printed\$5 produce\$5)) same (error\$5	EPO; JPO;	
		failur\$5) same (list\$5)	DERWENT;	
		[ Iallur\$5) same (IISC\$5)	IBM TDB	į.
		110 31 453	USPAT;	2004/08/05
_	0	(printer\$5 copy adj2 machine\$5) with		
		(usag\$5 adj2 information\$5) same (error\$5	US-PGPUB;	17:05
	1	failur\$5) same (list\$5)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	18	(printer\$5 copy adj2 machine\$5) with	USPAT;	2004/08/05
		(usage\$5 adj2 (information\$5 data\$5))	US-PGPUB;	17:07
		same (billing\$5)	EPO; JPO;	
		Same (Dilling 70)	DERWENT;	i
			IBM TDB	
ì	1.7	/ intends name adia maghinoss vith	USPAT;	2004/08/05
-	17	(printer\$5 copy adj2 machine\$5) with		17:08
		(usage\$5 adj2 (information\$5 data\$5))	US-PGPUB;	17:00
		same (error\$5 failur\$5)	EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
_	16	"5270775"	USPAT;	2004/08/05
			US-PGPUB;	17:09
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	2	("5270775").PN.	USPAT;	2004/08/05
_	2	("52/0//5").PN.	US-PGPUB;	17:09
1			EPO; JPO;	
1			DERWENT;	
	1	(# 64 6 6 5 4 6 # ) }	IBM_TDB	2004/09/05
-	5	(("6507409") or ("6198542")).PN.	USPAT;	2004/08/05
			US-PGPUB;	17:09
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	8		USPAT	2004/08/05
		"5706411"   "5714989"   "5727135"		17:11
		"5745662"   "5774136").PN.	1	
l _	5	(list\$5 with (fail\$5 adj2 printer\$5))	USPAT;	2004/08/05
-		(TINCAN MICH (INTIA) MAIN PITHONA AND AND MICH (INTIA)	US-PGPUB;	17:13
			EPO; JPO;	- · ·
			DERWENT;	
1			IBM_TDB	2004/08/05
-	1	6198542.URPN.	USPAT	2004/08/05
				17:15
-	9	("5361265"   "5361332"   "5559933"	USPAT	2004/08/05
		"5699494"   "5706411"   "5720015"	1	17:15
		"5727135"   "5761399"   "5768516").PN.		
_	0	(usage\$5 adi2 information\$5) with (fail\$5	USPAT;	2004/08/05
İ		adj2 (copy adj2 machine\$5 printer\$5))	US-PGPUB;	17:21
		adja (oopi daja masminoto kaminoto)	EPO; JPO;	
			DERWENT;	
1	ļ		IBM TDB	
			T T T T T D D	<u></u>

-	0	(usage\$5 adj2 information\$5) with (fail\$5	USPAT;	2004/08/05 17:21
		with (copy adj2 machine\$5 printer\$5))	US-PGPUB; EPO; JPO;	17:21
			DERWENT;	
			IBM TDB	
_	5	(("5032001") or ("5212519")).PN.	USPAT;	2004/08/06
		(	US-PGPUB;	10:43
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	2004/08/06
-	2	("6,032,001").PN.	USPAT; US-PGPUB;	10:43
			EPO; JPO;	10.45
			DERWENT;	
	ļ		IBM_TDB	
-	4	("5282127"   "5325156"   "5543892"	USPAT	2004/08/06
		"5715496").PN.	*****	10:46
-	4	("5282127"   "5325156"   "5543892"	USPAT	2004/08/06
		"5715496").PN.	USPAT	10:49 2004/08/06
-	4	6032001.URPN.	USPAI	10:49
_	0	(("-6,198,542") or ("-5.887,216") or	USPAT	2004/08/06
ļ	Ŭ ļ	("-6,208,428") or ("-5,933,675") or		12:58
		("-6,507,409")).PN.		
-	4	(("6,198,542") or ("5.887,216") or	USPAT	2004/08/06
		("6,208,428") or ("5,933,675") or		12:58
	_	("6,507,409")).PN.	Henam	2004/08/06
-	5	5543892.URPN.	USPAT	2004/08/06
	2	("5893005").PN.	USPAT;	2004/08/06
-	2	( 3893003 ).PM.	US-PGPUB;	13:37
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	0004/00/05
-	1	9630813A1	USPAT;	2004/08/06
			US-PGPUB; EPO; JPO;	13:38
			DERWENT;	
			IBM TDB	
_	2	"9630813"	USPAT;	2004/08/06
	_		US-PGPUB;	13:39
			EPO; JPO;	
			DERWENT;	
		#7.605.00#	IBM_TDB USPAT;	2004/08/06
_	8	768582"	US-PGPUB;	13:39
			EPO; JPO;	
			DERWENT;	
	ļ		IBM_TDB	
	2	("6032001").PN.	USPAT;	2004/08/06
			US-PGPUB; EPO; JPO;	13:41
			DERWENT;	
			IBM TDB	
_	2	(list\$5 same (off adj2 line\$5 adj2	USPAT;	2004/08/06
		printer\$5))	US-PGPUB;	13:54
			EPO; JPO;	
1	Į		DERWENT;	
		(notworker with nointones) same (usases	IBM_TDB USPAT;	2004/08/06
_	0	(network\$5 with printer\$5) same (usag\$5 adj2 information\$5) same (failur\$5	US-PGPUB;	13:58
		communication\$5 adj2 error\$5)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15	(network\$5 with printer\$5) same (list\$5)	USPAT;	2004/08/06
	1	same (failur\$5 communication\$5 adj2	US-PGPUB;	13:59
1	}	error\$5)	EPO; JPO; DERWENT;	
			IBM TDB	
_	0	(obtain\$5 adj2 printer\$5 adj2 usage\$5	USPAT	2004/08/06
		adj2 information\$5) same (list\$5) same		14:29
		failur\$5		
L				

-	0	(obtain\$5 with printer\$5 adj2 usage\$5 adj2 information\$5) same (list\$5) same	USPAT	2004/08/06 14:29
_	0	<pre>failur\$5 (obtain\$5 acquir\$5) with (printer\$5 with (usag\$5 adj2 information\$5)) same</pre>	USPAT	2004/08/06
_	5	<pre>(fail\$5) (list\$5 with printer\$5 with (abnormal\$5))</pre>	USPAT	2004/08/06
_	50	<pre>(printer\$5 copy adj2 machin\$5) with (communication\$5 adj2 (fail\$5 error\$5 abnormal\$5 offline\$5))</pre>	USPAT	2004/08/06 14:33
_	43	((printer\$5 copy adj2 machin\$5) with (communication\$5 adj2 (fail\$5 error\$5 abnormal\$5 offline\$5))) and @ad<19990127	USPAT	2004/08/06 14:39
-	2	("5845057").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/06 14:42
_	14	(printer\$5 copy adj2 machine\$5) with (manag\$5 supervis\$5) same (list\$5 with (fail\$5 error\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/06 14:44
-	347	(printer\$5 copy adj2 machine\$5) with (manag\$5 supervis\$5) with (fail\$5 error\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/06 14:45
<u>-</u>	2	(printer\$5 copy adj2 machine\$5) with (manag\$5 supervis\$5) with (fail\$5 error\$5) same bill\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/06 14:45
-	2	("6,167,469").PN.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/09 10:01
-	2	("6,304,313").PN.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/09 10:01
-	0	bill\$5 same submit\$5 same abnormal\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/09 14:36
-	604	bill\$5 same abnormal\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/09 14:05
_	22	bill\$5 same abnormal\$5 same differenc\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/09 14:07
_	0	"not" same (send\$5 submit\$5) same (bill\$5) same abnormal\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/09 14:08
_	0	bill\$5 with diffence\$5 same usage\$5 same print\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/09 14:08
			IBM_TDB	

_	2	(abnormal\$5 adj2 differenc\$5) same bill\$5	USPAT;	2004/08/09
			US-PGPUB;	14:12
			EPO; JPO;	
			DERWENT; IBM TDB	
	5	(bill\$5 with differenc\$5) same	USPAT;	2004/08/09
-	ء ا	(abnormal\$5)	US-PGPUB;	14:13
		(abitormary)	EPO; JPO;	1
			DERWENT;	
			IBM TDB	
_	247	bill\$5 with usage\$5 same print\$5	USPĀT;	2004/08/09
			US-PGPUB;	14:13
			EPO; JPO;	
			DERWENT;	i
			IBM_TDB	2004/00/00
_	13	bill\$5 with usage\$5 same print\$5 and	USPAT;	2004/08/09
1		abnormal\$5	US-PGPUB; EPO; JPO;	14:13
			DERWENT;	
			IBM TDB	
<u> </u>	2	ep-768582-\$.did.	USPAT;	2004/08/09
_		ep-700302 \.drd.	US-PGPUB;	14:23
	]		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("5893005").PN.	USPĀT;	2004/08/09
			US-PGPUB;	14:26
	[		EPO; JPO;	
	İ		DERWENT;	ļ
		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM_TDB USPAT;	2004/08/09
_	2	("6208428").PN.	US-PGPUB;	14:26
			EPO; JPO;	14.20
			DERWENT;	
			IBM TDB	
-	4	("5933675").PN.	USPAT;	2004/08/09
			US-PGPUB;	14:26
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/00/00
_	3	("5841991"   "6031631"   "6075616").PN.	USPAT	2004/08/09
	0	   (printer\$5 adj2 usag\$5 adj3	USPAT;	2004/08/09
-	1	information \$5) with bill \$5	US-PGPUB;	14:35
		TITTOTIMECTORYO, WITCH DITTY	EPO; JPO;	
			DERWENT;	]
			IBM_TDB	
-	0	1 11 1	USPAT;	2004/08/09
		(bill\$5)	US-PGPUB;	14:35
			EPO; JPO;	
			DERWENT; IBM TDB	
	0	"not" same (submit\$5 send\$5) same	USPAT;	2004/08/09
1 -		(bill\$5) same usage\$5 adj2 information\$5	US-PGPUB;	14:35
		(DIII) Jame abage, aaj Intermedicity	EPO; JPO;	
			DERWENT;	
			IBM_TDB	!
-	195		USPĀT;	2004/08/09
		adj2 machin\$5 image\$5 adj2 form\$5 adj2	US-PGPUB;	14:43
		apparatus\$5) same (usag\$5)	EPO; JPO;	
			DERWENT;	
	7	//hiller abanges) with /nnintanes conv	<pre>IBM_TDB USPAT;</pre>	2004/08/09
_	65	((bill\$5 charg\$5) with (printer\$5 copy adj2 machin\$5 image\$5 adj2 form\$5 adj2	US-PGPUB;	15:41
		apparatus\$5) same (usag\$5)) and	EPO; JPO;	
		@ad<19990127	DERWENT;	
	1	-	IBM TDB	
_	0	(prevent\$5 prohibit\$5) with (submit\$5	USPAT;	2004/08/09
	1	send\$5) same ((printer\$5 copy\$5 adj2	US-PGPUB;	15:37
		machin\$5 image\$5 adj2 forming\$5 adj2	EPO; JPO;	
		apparatus\$5) with usage\$5)	DERWENT;	
	<u></u>		IBM_TDB	1

-	1	(prevent\$5 prohibit\$5) with (submit\$5	USPAT;	2004/08/09
		send\$5) same ((printer\$5 copy\$5 adj2 machin\$5 image\$5 adj2 forming\$5 adj2	US-PGPUB; EPO; JPO;	15:37
	[	apparatus\$5) same usage\$5)	DERWENT;	
ŗ		apparacusys, same usageys,	IBM TDB	
_	13	(prevent\$5 prohibit\$5) same (submit\$5	USPAT;	2004/08/09
]		send\$5) same ((printer\$5 copy\$5 adj2	US-PGPUB;	15:40
		machin\$5 image\$5 adj2 forming\$5 adj2	EPO; JPO;	· •
		apparatus\$5) same usage\$5)	DERWENT;	
			IBM_TDB	
-	25	(prevent\$5 prohibit\$5) same (submit\$5	USPAT;	2004/08/09
1		with bill\$5)	US-PGPUB;	15:43
1			EPO; JPO;	
			DERWENT; IBM TDB	
ł _	7	((prevent\$5 prohibit\$5) same (submit\$5	USPAT;	2004/08/09
1	, · · ·	with bill\$5)) and @ad<19990127	US-PGPUB;	15:50
	'	, min 22240// min Gan 200 / 00 = 1	EPO; JPO;	
			DERWENT;	
	ļ		IBM_TDB	
_	0	no adj2 bill\$5 adj2 issu\$5 same	USPAT;	2004/08/09
		abnormal\$5	US-PGPUB;	15:43
			EPO; JPO;	
			DERWENT;	
	173	(nromantés prohibités) sama (issueésità	IBM_TDB USPAT;	2004/08/09
-	1/3	(prevent\$5 prohibit\$5) same (issue\$5 with bill\$5)	USPAT; US-PGPUB;	15:43
		NTTT401	EPO; JPO;	10.10
	Į –		DERWENT;	
}			IBM TDB	
_	208	(prevent\$5 prohibit\$5) same (issu\$5 with	USPAT;	2004/08/09
1	}	bil1\$5)	US-PGPUB;	15:43
			EPO; JPO;	
			DERWENT;	
	_	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	IBM_TDB	2004/00/00
-	5	(prevent\$5 prohibit\$5) same (issu\$5 with	USPĀT;	2004/08/09 15:44
		bill\$5) same (usag\$5)	US-PGPUB; EPO; JPO;	15:44
			DERWENT;	
	}		IBM TDB	
_	9	(prevent\$5 prohibit\$5) with (issu\$5 with	USPAT;	2004/08/09
	Ì	bill\$5) same (print\$5)	US-PGPUB;	15:45
			EPO; JPO;	
1	1		DERWENT;	1
			IBM_TDB	2004/09/00
-	1 70	(printer\$5 copy adj2 machine\$5 facsmile\$5	USPAT; US-PGPUB;	2004/08/09 15:47
	Ì	<pre>imag\$5 adj2 forming\$5) with (usage\$5) same (bill\$5)</pre>	EPO; JPO;	10:47
	(	same (nititio)	DERWENT;	
			IBM TDB	
-	33	((printer\$5 copy adj2 machine\$5	USPAT;	2004/08/09
		facsmile\$5 imag\$5 adj2 forming\$5) with	US-PGPUB;	16:09
		(usage\$5) same (bill\$5)) and @ad<19990127	EPO; JPO;	
1			DERWENT;	
	_	501 5110 110	IBM_TDB	2004/00/00
-	7	6216113.URPN.	USPAT	2004/08/09 15:50
	14	   ("3872282"   "3971919"   "3974363"	USPAT	2004/08/09
-	14	"4470692"   "4496237"   "4511793"	ODENI	15:53
1		"4941091"   "4999672"   "5146344"		10.00
		"5270775"   "5282127"   "5305199"	}	}
		"5357090"   "5383129").PN.		
-	0	(prevent\$5 prohibit\$5 declin\$5) with	USPAT;	2004/08/09
		(issu\$5 with bill\$5) same (usage\$5 near5	US-PGPUB;	16:37
1	ĺ	error\$5)	EPO; JPO;	
	Ì		DERWENT;	
	1200	no adia billés	IBM_TDB USPAT;	2004/08/09
} _	1368	no adj2 bill\$5	US-PGPUB;	16:08
	}		EPO; JPO;	10.00
	1		DERWENT;	
	1		IBM TDB	
<del></del>	<del></del>	<u> </u>		<del></del>

- 42 no adj2 bill\$5 same print\$5  - 28 (no adj2 bill\$5 same print\$5) and - 28 (no adj2 bill\$5 same print\$5) and - 28 (no adj2 bill\$5 same print\$5) and - 28 (no adj2 bill\$5 same print\$5) and - 3004/08/09 - 46 option\$5 with submit\$5 with bill\$5  - 46 option\$5 with submit\$5 with bill\$5  - 5 (option\$5 with submit\$5 with bill\$5) and - 5 (option\$5 with submit\$5 with bill\$5) and - 5 (option\$5 with submit\$5 with bill\$5) and - 6 (option\$5 with submit\$5 with bill\$5) and - 7 (option\$5 with submit\$5 with bill\$5) and - 8 (option\$5 with submit\$5 with bill\$5) and - 9 (option\$5 with submit\$5 with bill\$5) and - 10 (option\$5 with submit\$5 with bill\$5) and - 10 (option\$5 with submit\$5 with bill\$5) and - 10 (option\$5 with submit\$5 with bill\$5) and - 10 (option\$5 with submit\$5 with bill\$5) and - 10 (option\$5 with submit\$5 with bill\$5) and - 10 (option\$5 with submit\$5 with bill\$5) and - 10 (option\$5 with submit\$5 with bill\$5) and - 10 (option\$5 with submit\$5 with bill\$5) and - 10 (option\$5 with submit\$5 with bill\$5) and - 10 (option\$5 with submit\$5 with bill\$5) and - 10 (option\$5 with submit\$5 with bill\$5) and - 10 (option\$5 with submit\$5 with bill\$5) and - 10 (option\$5 with submit\$5 with bill\$5) and - 10 (option\$5 with submit\$5 with bill\$5) and - 10 (option\$5 with submit\$5 with bill\$5) and	
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT;	
- 28 (no adj2 bill\$5 same print\$5) and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; U	
- 28 (no adj2 bill\$5 same print\$5) and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT	
@ad<19990127    Gad<19990127   US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; ISM_TDB USPAT; IS	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; Option\$5 with submit\$5 with bill\$5) and USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT;	
- 46 option\$5 with submit\$5 with bill\$5   IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; Option\$5 with submit\$5 with bill\$5) and USPAT; 2004/08/09	
- 46 option\$5 with submit\$5 with bill\$5	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
EPO; JPO; DERWENT; IBM_TDB  - (option\$5 with submit\$5 with bill\$5) and USPAT; 2004/08/09	
DERWENT; IBM_TDB Coption\$5 with submit\$5 with bill\$5) and USPAT; 2004/08/09	
- 5 (option\$5 with submit\$5 with bill\$5) and USPAT; 2004/08/09	
- 5 (option\$5 with submit\$5 with bill\$5) and USPAT; 2004/08/09	
	1
EPO; JPO;	
DERWENT;	
IBM TDB	
_ 0 no adj2 charg\$5 with print\$5 adj2 error\$5 USPAT; 2004/08/09	
US-PGPUB; 16:23	
EPO; JPO;	
DERWENT;	
IBM_TDB	
1 no adj2 charg\$5 same print\$5 adj2 error\$5 USPAT; 2004/08/09 US-PGPUB; 16:23	
US-PGPUB; 16:23 EPO; JPO;	
DERWENT;	
IBM TDB	
_ 0 (prevent\$5 prohibit\$5) with (bill\$5	
charg\$5) with (printer\$5 adj2 error\$5) US-PGPUB; 16:24	
EPO; JPO;	
DERWENT;	
IBM_TDB	
-   1 (prevent\$5 prohibit\$5) with (bill\$5   USPAT;   2004/08/09	
charg\$5) same (printer\$5 adj2 error\$5) US-PGPUB; 16:24	
EPO; JPO;	
DERWENT; IBM TDB	
5 (prevent\$5 prohibit\$5) with (bill\$5	
charg\$5) same (print\$5 adj2 error\$5) US-PGPUB; 16:27	
EPO; JPO;	
DERWENT;	
IBM_TDB	
_ 0 (prevent\$5 prohibit\$5) with (bill\$5 USPAT; 2004/08/09	
charg\$5) same (usag\$5 adj2 error\$5) US-PGPUB;   16:26	
EPO; JPO;	
DERWENT;	
IBM_TDB USPAT; 2004/08/09	
- 5 (prevent\$5 prohibit\$5) with (bill\$5 USPAT; 2004/08/09 charg\$5) same (usag\$5 near58 error\$5) US-PGPUB; 16:27	
charg\$5) same (usag\$5 near58 error\$5)   US-PGPUB; 16.27	
DERWENT;	
IBM TDB	
_ 286 (prevent\$5 prohibit\$5) with (bill\$5 USPAT; 2004/08/09	
charg\$5) with (usage\$5)  US-PGPUB; 16:29	
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 12 no adj2 charg\$5 adj4 printing\$5 USPAT; 2004/08/09	
US-PGPUB; 16:29	
EPO; JPO;	
DERWENT; IBM TDB	
88 (printer\$5 copy adj2 machine\$5 USPAT; 2004/08/09 facsimil\$5) with (charg\$5) with error\$5 US-PGPUB; 16:35	
EPO; JPO;	
DERWENT;	
IBM TDB	

				2224/22/22
_	55	((printer\$5 copy adj2 machine\$5	USPAT;	2004/08/09
		facsimil\$5) with (charg\$5) with error\$5)	US-PGPUB;	16:38
		and @ad<19990127	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	12	(printer\$5 copy adj2 machine\$5	USPAT;	2004/08/09
1		facsimil\$5) with (bill\$5) with error\$5	US-PGPUB;	16:35
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	9	(printer\$5 copy adj2 machine\$5	USPAT;	2004/08/09
ļ <sup>—</sup>	١	facsimil\$5) with (bill) with error\$5	US-PGPUB;	16:37
		Lacsimilia) with (print) when orrera	EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
		/tAF muchibitEF doglinEF) with	USPAT;	2004/08/09
_	0	(prevent\$5 prohibit\$5 declin\$5) with	US-PGPUB;	16:37
		(payment\$55) same (usage\$5 near5 error\$5)		10.57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/09/00
-	121	(prevent\$5 prohibit\$5 declin\$5) with	USPAT;	2004/08/09
	1	(payment\$55) same print\$5	US-PGPUB;	16:38
}			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	61		USPAT;	2004/08/09
		(payment\$55) same print\$5) and	US-PGPUB;	16:39
	1	@ad<19990127	EPO; JPO;	
			DERWENT;	<u> </u>
	1		IBM TDB	
_	0	no adj2 bill\$5 with print\$5 adj2 error\$5	USPAT;	2004/08/09
1	l		US-PGPUB;	16:39
1			EPO; JPO;	
			DERWENT;	1
			IBM TDB	1
	0	no with payment\$5 with printer\$5 adj3	USPAT;	2004/08/09
-	1	error\$5	US-PGPUB;	16:39
1		ETTOTA	EPO; JPO;	
			DERWENT;	
			IBM TDB	
		(do adj2 "not" adj2 submit\$5 with bill\$5)	USPAT;	2004/08/09
_	0		US-PGPUB;	16:41
		same (abnormal\$5)	EPO; JPO;	
			DERWENT;	ļ l
			IBM TDB	
		1.1 1.0 1.50	USPAT;	2004/08/09
-	3	(abnormal\$5 adj3 differenc\$5) same bill\$5	1	1
			US-PGPUB;	16:46
			EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	2004/00/00
-	0	1 /	USPAT;	2004/08/09
		error\$5	US-PGPUB;	16:47
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
L		<u> </u>		· ·